



Product Service

CERTIFICATE

No. Z1A 133879 0001 Rev. 01

Holder of Certificate: **timkid GmbH**

Mühlendeich 15
19303 Dömitz
GERMANY

Certification Mark:



Product:

**Baby's dressing table
for domestic and non-domestic use**

Tested according to:

EK5/AK3 18-02.2:2023
DIN EN 12221-1:2013
DIN EN 12221-2:2013
DGUV Regel 102-602:2019, 3.10
AfPS GS 2019:01 PAK

With this certificate, in its capacity as a notified GS body, TÜV SÜD Product Service GmbH issues the GS Mark to the named certificate holder for the declared product with the named model designation in accordance with section 20 ProdSG (German Product Safety Act). The product meets the safety and health requirements of section 20 (3) ProdSG. The manufacturer is reminded of their obligations in accordance with section 24 ProdSG. The certification marks shown above can be affixed on the product. It is not permitted to alter the certification marks in any way. In addition, the certificate holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the Testing, Certification, Validation and Verification Regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 713376999 Rev. 01

Valid until: 2031-01-07

Date, 2026-03-12

(Jens Biesenack)

CERTIFICATE

No. Z1A 133879 0001 Rev. 01

Model(s): KAWAmaxi, KAWAmidi, KAWAQ, KAWAHPL, KAWAsimplex, QUATTRO, QUATTROQ, OWO2.0, MARUI/Molina, KWADO

Parameters:

KAWAmaxi	
Dimensions when closed (DxWxH [mm])	225 x 682 x 830
Dimensions when open (DxWxH [mm])	870 x 682 x 765
Material:	Multiplex with HPL-coating 11 mm, changing unit 60% PES / 40% PU
Special feature:	Wall mounting (aluminium wall bracket), 1 shelf
KAWAmidi	
Dimensions when closed (DxWxH [mm])	225 x 574 x 774
Dimensions when open (DxWxH [mm])	819 x 574 x 735
Material:	Multiplex with HPL-coating 11 mm, changing unit 60% PES / 40% PU
Special feature:	Wall mounting (aluminium wall bracket), 1 shelf
KAWAQ	
Dimensions when closed (DxWxH [mm])	225 x 832 x 562
Dimensions when open (DxWxH [mm])	605 x 832 x 521
Material:	Multiplex with HPL-coating 11 mm, changing unit 60% PES / 40% PU
Special feature:	Wall mounting (aluminium wall bracket), 1 shelf
KAWAHPL	
Dimensions when closed (DxWxH [mm])	225 x 605 x 762
Dimensions when open (DxWxH [mm])	768 x 583 x 550
Material:	Multiplex with HPL-coating 11 mm, changing unit 60% PES / 40% PU
Special feature:	Wall mounting (aluminium wall bracket), 1 shelf
KAWAsimplex	
Dimensions when closed (DxWxH [mm])	221 x 583 x 762
Dimensions when open (DxWxH [mm])	768 x 583 x 550
Material:	Organic fibre with HPL-laminate 11 mm, changing unit 60% PES / 40% PU
Special feature:	Wall mounting (wall rail), 1 shelf made of acrylic glass

CERTIFICATE

No. Z1A 133879 0001 Rev. 01

QUATTRO	
Dimensions when closed (DxWxH [mm])	222 x 571 x 863
Dimensions when open (DxWxH [mm])	863 x 571 x 712
Material:	Multiplex with HPL-coating 6/11 mm, stainless steel/powder-coated frame, changing unit 60% PES / 40% PU
Special feature:	Wall mounting (aluminium wall bracket), 1 shelf
QUATTROQ	
Dimensions when closed (DxWxH [mm])	222 x 829 x 603
Dimensions when open (DxWxH [mm])	604 x 829 x 512
Material:	Multiplex with HPL-coating 6/11 mm, stainless steel/powder-coated frame, changing unit 60% PES / 40% PU
Special feature:	Wall mounting (aluminium wall bracket), 1 shelf
OWO2.0	
Dimensions when closed (DxWxH [mm])	227 x 758 x 1037
Dimensions when open (DxWxH [mm])	875 x 758 x 1004
Material:	Organic fibre with HPL-laminate 11 mm, changing unit 60% PES / 40% PU
Special feature:	Wall mounting (aluminium wall bracket), 1 shelf made of organic fibre with HPL-laminate, 1 acrylic glass shelf

CERTIFICATE

No. Z1A 133879 0001 Rev. 01

MARUI/Molina	
Dimensions when closed (DxWxH [mm])	239 x 657 x 841
Dimensions when open (DxWxH [mm])	769 x 657 x 676
Material:	Organic fibre with HPL-laminate 10.5/11.5 mm, changing unit 60% PES / 40% PU
Special feature:	Wall mounting (aluminium wall bracket), 1 shelf
KWADO	
Dimensions when closed (DxWxH [mm])	227 x 590 x 810
Dimensions when open (DxWxH [mm])	810 x 591 x 708
Material:	Organic fibre with HPL-laminate 11 mm, changing unit 60% PES / 40% PU
Special feature:	Wall mounting (aluminium wall bracket), 1 shelf

The changing tables for private and public use are approved for a maximum weight of 25 kg and a maximum age of 36 months.
Maximum static load on the changing table: 75 kg